

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(bank same certificate) and (consumer same certificate)	EPO; JPO	OR	ON	2005/07/12 13:20
L3	2	(author\$ same transaction same (public or private) same key) and ((customer or user or buyer) same bank same (merchant or seller))	EPO; JPO; DERWENT	OR	ON	2005/07/12 14:15
L5	577	705/64	US-PGPUB ; USPAT; EPO	OR	ON	2005/07/12 14:13
L6	4977	705/1	US-PGPUB ; USPAT; EPO	OR	ON	2005/07/12 14:13
L7	1856	380/28	US-PGPUB ; USPAT; EPO	OR	ON	2005/07/12 14:13
L8	173	380/268	US-PGPUB ; USPAT; EPO	OR	ON	2005/07/12 14:13
L9	495	380/42	US-PGPUB ; USPAT; EPO	OR	ON	2005/07/12 14:13
S1	29823	"705"/\$	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/03/10 12:05
S2	14451	"705"/\$	US-PGPUB	OR	ON	2004/03/10 12:18
S10	23658	("705").CLAS.	US-PGPUB ; USPAT; USOCR; EPO; DERWENT	OR	OFF	2004/03/15 11:46
S11	1441	auth\$ same transaction same (public or private) same key	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/03/15 11:47
S12	54	(author\$ same transaction same (public or private) same key same account) and ((customer or user or buyer) same bank same (merchant or seller))	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/03/15 13:23
S13	144	(author\$ same transaction same (public or private) same key) and ((customer or user or buyer) same bank same (merchant or seller))	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2005/07/12 13:21

S14	3	(author\$ same transaction same (public or private) same key same account) and (compare adj hash)	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/03/15 11:53
S15	16	(author\$ same transaction same (public or private) same key same account) and (validate same certificate)	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/07/19 14:04
S16	2536414	encrypted account number	US-PGPUB ; USPAT; EPO	OR	ON	2004/07/19 14:03
S17	1067	encrypted same account same number	US-PGPUB ; USPAT; EPO	OR	ON	2004/07/19 14:16
S18	200	(bank same certificate) and (consumer same certificate)	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2005/07/12 13:20
S19	6210	maher	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/07/19 14:09
S20	1589	maher.in.	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/07/19 14:09
S21	2	"6125349"	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/07/19 14:12
S22	2	(certificate adj tree) same (bank or lender)	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/07/19 14:13
S23	7	(certificate same tree) same (bank or lender)	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/07/19 14:13
S24	89	encrypted same account same number same private same key	US-PGPUB ; USPAT; EPO	OR	ON	2005/07/12 14:13
S25	188	smartcard same database	US-PGPUB ; USPAT; EPO	OR	ON	2005/01/05 11:08
S26	991	hash same transaction	US-PGPUB ; USPAT; EPO	OR	ON	2005/01/05 11:09
S27	540	hash same transaction and account	US-PGPUB ; USPAT; EPO	OR	ON	2005/01/05 11:11
S28	264	hash same transaction and account	USPAT; EPO	OR	ON	2005/01/05 11:12
S29	88	hash same transaction same encrypted	USPAT; EPO	OR	ON	2005/01/05 11:12

S30	751	certificate same verification and "705"/\$	US-PGPUB ; USPAT; EPO	OR	ON	2005/05/12 13:54
S31	751	(certificate same verification) and "705"/\$	US-PGPUB ; USPAT; EPO	OR	ON	2005/05/12 13:54
S32	68	(certificate same verification same bank) and "705"/\$	US-PGPUB ; USPAT; EPO	OR	ON	2005/05/12 13:54

① Search Full-Text Databases-Group 1

The standard Search strategy for this unit is below. Highlight and drag it into the box below. You Use caution to apply correct boolean w/matched parenthesis. These arguments are applied to :

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYPHI
OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ?
(CODE? ? OR CODING)) or (CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRA
OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR S
(TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYIPHER? OR UNCRYPT?
DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ? OR SECRET(1W) (CODE? ? OR CO
(CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPH
OR PUBLIC OR PRIVATE) (1W)KEY? ? OR SECURE(2W) (TRANSACTION? OR PROCESS???) OR CRYPT? OR
ENCRYPT?))

⚠ Make sure your cursor is placed fully to the left in each search box.

Search Term(s)

encrypted and account and
number and private near key

and

Author

e.g. ward j? or ward, j?

Years Before and Including

2001

Search

Clear

POWERED BY Dialog

LOG OFF

Search
results: 0 titles

Search Report

Database Name	Database Number
---------------	-----------------

ABI/INFORM	15
COMPUTER DATABASE	275
NEW PRODUCT ANNMNT	621
NEWSLETTER DB	636
TRADE&INDUSTRY	148
PROMT (90- PRESENT)	16
PROMT (1972-1989)	160

Set

Description

S1	(encrypted AND account AND number AND private(1N)near(1N)key)
S2	PY=((1970:2001))
S3	S1 and S2
S4	S3 and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYIPHER? OR UNCRYPT? OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ? OR SECRET(1w)(CODE? ? OR CODING)) or (CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR SECURE(2W)(TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))
S5	RD
S6	SORT /ALL/pd,a

Help Tips for 'Zero Records' - How To Get More Records

- Don't over-specify: use only the search options you really need -- leave the others blank.
- Exclude "implied concepts": leave out words like 'research' or 'effects.'
- Use more wildcards to search different word endings: use COMPUTER? in place of COMPUTER.
- Check the format of your entry. Follow the Search Tips examples shown on the search page.
- Check for misspelled words.

② Search Full-Text Databases-Group 2

The standard Search strategy for this unit is below. Highlight and drag it into the box below. Use caution to apply correct boolean w/matched parenthesis. These arguments are applied to :

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYPHI
OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ?
(CODE? ? OR CODING)) or (CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRA
OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR S
(TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYIPHER? OR UNCRYPT?
DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ? OR SECRET(1W) (CODE? ? OR CO
(CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPH
OR PUBLIC OR PRIVATE) (1W)KEY? ? OR SECURE(2W) (TRANSACTION? OR PROCESS???) OR CRYPT? OR
ENCRYPT?))

⚠ Make sure your cursor is placed fully to the left in each search box.

Search Term(s)

encrypted and account and
number and private near key

and

Author

e.g. ward j? or ward, j?

Years Before and Including

2002

Search

Clear

③ Search Abstract Databases

The standard Search strategy for this unit is below. Highlight and drag it into the box below. Use caution to apply correct boolean w/matched parenthesis. These arguments are applied to :

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYPHI
OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ?
(CODE? ? OR CODING)) or (CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRA
OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR S
(TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYPHER? OR UNCRYPT?
DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ? OR SECRET(1W) (CODE? ? OR CO
(CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPH
OR PUBLIC OR PRIVATE) (1W)KEY? ? OR SECURE(2W) (TRANSACTION? OR PROCESS???) OR CRYPT? OR
ENCRYPT?))

 Make sure your cursor is placed fully to the left in each search box.

Search Term(s)

Author

e.g. ward j? or ward, j?

Years Before and Including

NOTE: Your search strategy and databases searched will be displayed in a separate window and include it in your search report.

powered by **Dialog****LOG OFF****Search**
results: 0 titles**Search Report****Database Name Database Number**

SCISEARCH 1990+	34
DISSERTATION ABS	35
GLOBALBASE	583
INSIDE CONFERENCES	65
INSPEC 69-PRES	2
APPLIED SCI & TECH	99
NTIS	6
JICST-EPLUS	94
FT ABSTRACTS	473
SCISEARCH 74- 89	434
NYT ABSTRACTS	474
SOFTBASE: REVIEWS	256
WSJ ABSTRACTS	475

Set**Description**

S1	(encrypt AND number AND account AND private AND key)
S2	PY=((1970:2000))
S3	S1 and S2
S4	S3 and ((UNCYPHER? OR UNENCYPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYIPHER? OR UNCRYPT? OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W) PAIR? ? OR SECRET(1w)(CODE? ? OR CODING)) or (CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR SECURE(2W) (TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))
S5	RD

Help Tips for 'Zero Records' - How To Get More Records

- Don't over-specify: use only the search options you really need -- leave the others blank.
- Exclude "implied concepts": leave out words like 'research' or 'effects.'
- Use more wildcards to search different word endings: use COMPUTER? in place of COMPUTER.
- Check the format of your entry. Follow the Search Tips examples shown on the search page.
- Check for misspelled words.
- Check that you are using parentheses correctly when you combine words with AND, OR, NOT.

For more tips on searching, see the [Help page](#).